

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 <a href="https://www.aicte-India.org">www.aicte-India.org</a>

F.No. South-West/1-2816309013/2016/EOA

Date: 05-Apr-2016

To,

The Principal Secretary, Deptt. Of education, Govt. of Kerala, Govt. Sectt. Annexe, Thiruvananthapuram-695001

Sub: Extension of approval for the academic year 2016-17

Ref: Application of the Institution for Extension of approval for the academic year 2016-17

Sir/Madam,

In terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2012 notified by the Council vide notification number F-No.37-3/Legal/2012 dated 27/09/2012 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

Regional Office	South-West	Application Id	1-2816309013
Name of the Institute	DE PAUL INSTITUTE OF SCIENCE & TECHNOLOGY	Permanent Id	1-6119771
Name of the Society/Trust	DE PAUL EDUCATION TRUST	Institute Address	DE PAUL NAGAR ANGAMALY SOUTH ANGAMALY ERNAKULAM PIN - 683 573, ANGAMALY, ERNAKULAM, Kerala, 683573
Institute Type	Unaided - Private	Society/Trust Address	DE PAUL NAGAR,ANGAMALY SOUTH,ERNAKULAM,Kerala,683573

Opted for change from Women to Co-ed and Vice versa	No	Opted for change of name	No	Opted for change of site	No
Change from Women to Co-ed approved and Vice versa	Not Applicable	Change of name Approved	Not Applicable	Change of site Approved	Not Applicable

To conduct following courses with the intake indicated below for the academic year 2016-17

To consider the wind courses with the intake indicated below to the academic y					, 00. 20.					
Application Id:	1-2816309 Shift	Level	Course	Full/Part Time	Affiliating Body	Intake 2015-16	Intake Approved for 2016-17	NRI Approval status	PIO / FN / Gulf quota Approval status	Foreign Collaborarion/Twining Program Approval status
MANAGEME	1st Shift	POS T	BUSINESS ADMINISTRATI	FULL TIME	Mahatma Gandhi	60	60	NA	NA	NA

Application Number: 1-2816309013

Note: This is a Computer generated Report.No signature is required.

Page 1 of 3 Letter Printed On:23 April 2016

Printed By: ae4523075



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

NT		GRA DUA TE	ON		Unversity , Kottayam					
MCA	1st Shift	MCA 2nd Year Direc t	MASTERS IN COMPUTER APPLICATIONS	FULL TIME	Mahatma Gandhi University, Kottayam	60	60	NA	NA	NA
MCA	1st Shift	POS T GRA DUA TE	MASTERS IN COMPUTER APPLICATIONS	FULL TIME	Mahatma Gandhi Unversity , Kottayam	60	60	NA	NA	NA

The above mentioned approval is subject to the condition that DE PAUL INSTITUTE OF SCIENCE & TECHNOLOGY shall follow and adhere to the Regulations, guidelines and directions issued by AICTE from time to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

Note: Validity of the course details may be verified at www.aicte-india.org

Dr. Avinash S Pant Vice - Chairman, AICTE

#### Copy to:

#### 1. The Regional Officer,

All India Council for Technical Education Health Centre Building Bangalore University Campus Bangalore - 560 009, Karnataka

# 2. The Director Of Technical Education,

Kerala

#### 3. The Registrar,

Mahatma Gandhi University, Kottayam

# 4. The Principal / Director,

DE PAUL INSTITUTE OF SCIENCE & TECHNOLOGY DE PAUL NAGAR ANGAMALY SOUTH ANGAMALY ERNAKULAM

Application Number: 1-2816309013 Note: This is a Computer generated Report.No signature is required.

Page 2 of 3 Letter Printed On:23 April 2016

Printed By: ae4523075



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 <a href="https://www.aicte-India.org">www.aicte-India.org</a>

PIN - 683 573, ANGAMALY,ERNAKULAM, Kerala,683573

5. The Secretary / Chairman,
DE PAUL EDUCATION TRUST
DE PAUL NAGAR,
ANGAMALY SOUTH, ERNAKULAM,
Kerala, 683573

6. Guard File(AICTE)

Application Number: 1-2816309013 Note: This is a Computer generated Report.No signature is required. Page 3 of 3 Letter Printed On:23 April 2016

Printed By : ae4523075



Date: 30-Apr-2016

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 <a href="https://www.aicte-India.org">www.aicte-India.org</a>

F.No. South-West/1-2816309013/2016/EOA-Integrated

To, The Principal Secretary, Deptt. Of education, Govt. of Kerala, Govt. Sectt. Annexe, Thiruvananthapuram-695001

Sub: Extension of approval for Integrated Course in lieu of Dual Degree in Existing Institutes for the academic year 2016 -17

Ref: Application of the Institution for Integrated Course in Existing Institutes from the academic year 2016 -17

Sir/Madam,

In terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions)
Regulations 2012 notified by the Council vide notification number F-No.37-3/Legal/2012 dated 27/09/2012 and Norms, Standards,
Procedures and Conditions prescribed by the Council from time to time, I am directed to convey the approval to

Regional Office	South-West	Application Id	1-2816309013
Institute Type	Unaided - Private	Permanent Id	1-6119771
Name of the Institute	DE PAUL INSTITUTE OF SCIENCE & TECHNOLOGY	Institute Address	DE PAUL NAGAR ANGAMALY SOUTH ANGAMALY ERNAKULAM PIN - 683 573, ANGAMALY, ERNAKULAM, Kerala, 683573
Name of the Society/Trust	DE PAUL EDUCATION TRUST	Society/Trust Address	DE PAUL NAGAR,ANGAMALY SOUTH,ERNAKULAM,Kerala,683573

to conduct Integrated Management Course by selecting 60 students to form a batch at the beginning of 2<sup>nd</sup> Year of Bachelor degree course in each of the program as given below for the academic year 2016 -17.

Application ID : 1-281 Program	Application ID : 1-2816309013  Program Shift Level		Course	II Time / Part Time	Affiliating Body	Intake Approved for 16-17
MCA	1st Shift	Integrated	MASTER OF COMPUTER APPLICATIONS (INTEGRATED)	FULL TIME	Mahatma Gandhi University, Kottayam	90 10 10

The above mentioned approval is subject to the condition that

DE PAUL INSTITUTE OF SCIENCE & TECHNOLOGY

shall follow and adhere to the Regulations, guidelines and directions mentioned herein below and issued by AICTE from tirne to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

1. This course is Five year Integrated course in Management / MCA and Management leading to Master's of Business

Application Number: 1-2816309013

Note: This is a Computer generated Report.No signature is required.

Printed By : ae4523075

Page 1 of 2 Letter Printed On:11 May 2016



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

Administration (MBA)/Master in Computer Application (MCA).

- 2. The Central Administration Authority duly designated for the purpose by the State/Union Territory concern shall monitor procedure related to admissions in this course.
- 3. Student's eligibility for admission shall be as per APH 2016-17.
- 4. The Admission to this course shall be effected only on obtaining affiliation for this course, from the affiliating university.
- 5. This course shall be conducted in the general/First shift working.

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and prohibition of Ragging in Technical Institutions. In case institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(a) of the Said Regulation.

Prof. Alok Prakash Mittal Member Secretary, AICTE

## Copy to:

#### 1. The Regional Officer,

All India Council for Technical Education Health Centre Building Bangalore University Campus Bangalore - 560 009, Karnataka

## 2. The Director Of Technical Education,

Kerala

### 3. The Registrar,

Mahatma Gandhi University, Kottayam

## 4. The Principal / Director,

DE PAUL INSTITUTE OF SCIENCE & TECHNOLOGY DE PAUL NAGAR ANGAMALY SOUTH ANGAMALY ERNAKULAM PIN - 683 573, ANGAMALY,ERNAKULAM, Kerala,683573

# 5. The Secretary / Chairman,

DE PAUL EDUCATION TRUST DE PAUL NAGAR, ANGAMALY SOUTH,ERNAKULAM, Kerala,683573

## 6. Guard File(AICTE)

Application Number: 1-2816309013 Note: This is a Computer generated Report.No signature is required. Printed By: ae4523075